# MAHARASHTRA POLLUTION CONTROL BOARD

Phone

4010437/4020781

/4037124/4035273

24044532/4024068 /4023516

Email

enquiry@mpcb.gov.in

Visit At

htip://mpcb.gov.in



Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E),

Mumbai - 400'022

Infrastructure /Orange/LSI Consent order No: BO/RO-HQ/EIC-HQ-0207-14/CE/CC- 9980

Date- 30/10/2014

To.

M/s. Anand Developers & Builders,

Jai Bhavani Co. Op Hsg. Society, CTS No. 507(p),

Gandhi Nagar, Pokhran Road No.2, Panchpakhadi, Tháne.

Subject: Consent to Establish for Building/Construction project ORANGE category : Minutes of CC meeting held on 17/10/2014.

Your application: CE1407000484

Dated: 25/06/2014

For: Consent to Establish for Building/Construction project.

under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III & IV annexed to this order:

- 1. The consent is granted for a period up tox Commissioning of the project of 5 years whichever is earlier.
- 2. The proposed capital investment of the project is Rs. 71.87 Crs. (As per undertaking submitted by project proponent)

For development of land/ plot as new construction activities for construction of Residential project with Slum Re-Development Scheme construction project named as M/s. Anand Developers & Builders, Jai Bhavani Co.Op. Hsg. Society, CTS No. 507(p), Gandhi Nagar, Pokhran Road No.2, Panchpakhadi, Thane of otal Plot Area of 6724.6 Sq.mtrs and Total Construction BUA of 35149.99 Sq.mtr including sitilities as per construction commencement certificate issued by local body

3. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1. 2.	Trado effluent  Domestic effluent	NIL 268	NA As per Schedule -I	NA 60% shall be reused & recycled and remaining shall be discharged in
				municipal sewer.

Conditions under Air (P& CP) Act, 1981 for air emissions:

**_		A CHILDREN AND CONTRACT AND CON								
į	Sr. no.	Description of stack I	Number of Stack	Standards to be achieved						
ł		source								
	1.	DG set (200 KVA)	1	As per Schedule -II						
	2.	DG set (180 KVA)	1	As per Schedule -II						

\*M/s, Anand Developers & Builders "SRO Thank I/I/O/L/05033000

Page 1 of 6

colution

5. Conditions under Municipal Solid Waste (Management and Handling) Rule, 2000:

- 1	Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
ľ	1	Biodegradable	532 Kg/day	Organic Waste Convertor	Used as Manure
		Non- Biodegradable	368 Kg/daý	Sagregate and Hand over to TMC for recycling	
ľ	2	STP Sludge	20 Kg/day	Manure	

6. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No. Type Of Waste Category Quantity UOM Treatment Disposal

- 7. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 9. The applicant should not take any effective steps for implementation of the project before obtaining Environmental Clearance as per EIA Notification 2006 and amendments thereto, As per Para 2 of EIA notification dated-14/09/2006, the effective steps include starting of any construction work or preparation of land by the project management. However as clarified by the MoEF vide office memorandum no. J-1103/41/2006-IA.II(1); Dated-19/8/2010, fencing of the site to protect it from getting encroached & construction of temporary shed(s) for the guard(s) & acquisition of land shall not be treated as an effective steps.
- 10. Applicant shall submit an affidavit within 15 days in the prescribed format towards not taking further effective steps prior to obtaining the EC.
- 11. Applicant shall submit an affidavit within 15 days in the prescribed format towards compliance of conditions prescribed in EC / CRZ and C to E.

Aumbai To

For and on behalf of the Maharashtra Pollution Control Board

> (Rajecy Kumar Mikal, IAS) Member Secretary

Received Consent fee of -

Sive Amount (RS)	im Na		3) (2) (2) (3)		
1. 100100.00	221563	31/05/2014	Union Bank of	India	J

Copy to:

- 1. Regional Officer -Thane and Sub-Regional Officer-Thane-I MPCB,
  - -They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purpose

# Schedule-I Terms & conditions for compliance of Water Pollution Control:

- 1) Al As per your application, you have proposed to install MBBR based Sewage Treatment Plant (STP) with the design capacity of 230CMD.
  - B] The Applicant shall operate the effluent treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board
		Limiting Concentration in mg/l, except for pH
01	BOD (3 days 27oC)	30
02	Suspended Solids	50 €
03	COD	100
04	Residual Chlorine	1ppm

C) The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, firefighting, on land for gardening etc and remaining shall be discharged in to the municipal sewerage system.

be discharged in to the municipal sewerage system.

D) Project proponent shall operate STP for five wears from the date of obtaining occupation certificate.

2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thoroat.
- 4) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made there under for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess GESS on their water consumption, being all eady assessed on the water consumption of local body.

Sr.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	00
2.	Domestic purpose	310
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	00

"M/s Award Developers & Builders "SRO Thane I/I/O/L/05033000

Page 3 of 6 Polution Columbia Columbia

#### Schedule-II

# Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install the Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height <sup>†</sup> in Mice	Type of Tuel	Quantity & ToM		SO:
01.	DG set (200	Acoustic	5.0*	HSD	95 Ltr/hr		www.
	KVA)	Enclosure					1
02.	DG set (180	Acoustic	5.0* each			104	
	KVA)	Enclosure				fr.mer	L.

<sup>\*</sup> Above roof of the building in which it is installed.

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Particulate	Not to exceed	150	mg/Nm³.			-
matter		<u> </u>	*	· 1/4 .	V.J	أ

- 3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or officerwise such variation (including the change of any control equipment, other in whole on in part is necessary).
- 5. Conditions during construction phise

а	During construction phase, applicant shall provide temporary sewage disposal and MSW facility for staff and worker quarters.
b	During construction phase, the ambient air and noise quality should be closely monitored to achieve Ambient Air Quality Standards and Noise by the project proponent through MoEF approved aboratory.
C	Noise generating activity shall be carried out during day time only.

"M/s. Anand Developers & Builders "SRO Thane I/I/O/L/05033000

Page 4 of 6

(Mombai.)

olution

## Schedule-III Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submissi on Period	Purpose of BG	Compliance Period	Validity Date
1.	Consent to Establish	Rs. 5 lakhs	15 Days	condition no. 10.	Fill obtaining Environmental clearance from Competent authority.	Five years

Marata Alia Colita Rosal

"M/s Anand Developers & Builders "SRO Thane I/I/O/L/03033000

Page 5 of 6

Page

#### Schedule-IV

### General Conditions:

The following general conditions shall apply as per the type of the industry.

- The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and environmental protection Act 1986 and Municipal Solid Waste (Management & Handling) Rule 2000 and E-Waste (Management & Handling Rule 2011.
- Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak
- Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - Industry should provide acoustic enclosure for control of noise the acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - The industry shall take adequate measures for control of thoise levels from its own sources within the premises in respect of noise to less than \$50 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
  - d) Industry should make efforts to bring down noise level due to DG set, outside industrial
  - premises, within ambient noise requirements by proper sitting and control measures.

    Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer,
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use from deteriorating with use.

    D.G. Set shall be operated only in case of power failure.

  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G.
  - Set.

    The applicant shall-comply with the notification of MoEF dated 17.05.2002 regarding noise i) limit for generator sets run with diesel.
- Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall 6) comply with Municipal Solid Waste (Management & Handling) Rule 2000 & E-Waste (M & H) Rule 2011.
- Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- The industry, shall submit official e-mail address and any change will be duly informed to the MPCE.
- The treated sewage shall be disinfected using suitable disinfection method.
- The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.

"M/s. Anand Developers & Builders "SRO Thane I/I/O/L/05033000

colution e 6 of 6 Manta